

## REINFORCING SUCCESS

WINFAB® 2495 geotextile fabric is manufactured using high tenacity polypropylene yarns that are woven to form a dimensionally stable network, which allows the yarns to maintain their relative position.

**WINFAB® 2495** geotextile fabric resists ultraviolet deterioration, rotting, and biological degradation and is inert to commonly encountered soil chemicals.

## PRODUCT DATA SHEET WINFAB® 2495





**FILTRATION** 

SEPARATION

PROPERTY	TEST METHOD	MARV ENGLISH	MARV METRIC
Abrasion Resistance (XD)	ASTM D4886	95%	95%
Tensile Strength (Grab)	ASTM D4632	415 x 340 lbs	1,846 x 1,512 N
Elongation (Grab)	ASTM D4632	15% x 15%	15% x 15%
Trapezoidal Tear Strength	ASTM D4533	100 x 70 lbs	445 x 312 N
CBR Puncture	ASTM D6241	975 lbs	4,337 N
Wide Width Tensile	ASTM D4595	2,900 x 2,300 lbs/ft	42.32 x 33.56 kN/m
UV Resistance (500 hrs)	ASTM D4355	90%	90%
Apparent Opening Size*	ASTM D4751	60 US Std. Sieve	0.25 mm
Permittivity	ASTM D4491	.70 sec <sup>-1</sup>	.70 sec <sup>-1</sup>
Permeability	ASTM D4491	.035 cm/sec	.035 cm/sec
Water Flow Rate	ASTM D4491	50 gpm/ft <sup>2</sup>	2,037.5 lpm/m <sup>2</sup>

\*Maximum Average Roll Value

PROPERTY	TEST METHOD	TYPICAL ENGLISH	TYPICAL METRIC
Roll Dimensions	Measured	6 ft x 300 ft 12 ft x 300 ft	1.83 m x 91.5 m 3.65 m x 91.5 m
Roll Area	Measured	200 yd² 400 yd²	167 m² 334 m²

Disclaimer: WINFAB assumes no liability for the completeness or accuracy of this information or the ultimate use of this information. WINFAB disclaims any and all implied, expressed, or statutory standards, guarantees, or warranties. This includes without limitation any implied warranty as to merchantability or fitness for a particular purpose or arising from a course of dealing or usage of trade as to equipment, materials, or information furnished herewith. This document should not be construed as engineering advice. Always consult the project engineer for project specific requirements. The end user assumes sole responsibility for the use of this information and product. The property values listed above are subject to change without notice.

WINFAB® & WINFAB® are trademarks of Willacoochee Industrial Fabrics, Inc.

©2021 Willacoochee Industrial Fabrics Inc.

## WINFAB | www.winfabusa.com

1 Nashville Mills Rd. Nashville GA 31639 Ph: (912) 534-5757 • Fax: (912) 534-5533



